

09/662,399

MS147164.01/MSFTP128US

AMENDMENTS TO THE CLAIMS

The following listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of claims:

1. (Currently amended) A function object for use in creating a mapping in a mapping tool with a graphical user interface[[,]] between a source object having a source object node and a target object having a target object node, comprising:

a script component having computer-executable instructions for performing a function;

a graphical component associated with the function[[,]] having an input and an output, ~~and adapted to~~ the graphical component configured to allow a user to graphically associate the input with a source object node and to associate the output with a target object node in the graphical user interface, the source object node being one of a plurality of hierarchically displayed nodes and the target object node being one of a plurality of hierarchically displayed nodes; and

an interface component having a globally unique identifier ~~and adapted to provide, the interface component provides~~ the script component to a compiler in the mapping tool and ~~to provide~~ provides the graphical component to the graphical user interface.

2. (Currently amended) The function object of claim 1, ~~wherein~~ the interface component further includes a category identifier component.

3. (Currently amended) The function object of claim 1, ~~wherein~~ the interface component further comprises a class identifier component.

4. (Currently amended) The function object of claim 1, ~~wherein~~ the interface component further comprises a function category identifier component associated with the function.

09/662,399

MS147164.01/MSFTP128US

5. (Currently amended) The function object of claim 4, ~~wherein~~ the function category identifier component includes one of string, mathematical, logical, date, conversion, scientific, advanced, and custom.
6. (Currently amended) The function object of claim 1, further comprising a second interface component ~~adapted to allow~~ that allows a user to drag and drop the graphical component in the graphical user interface.
7. (Currently amended) The function object of claim 6, ~~wherein~~ the second interface component is associated with the function object by the mapping tool.
8. (Currently amended) The function object of claim 1, further comprising:
a plurality of script components having computer-executable instructions for performing a plurality of functions; and
a plurality of graphical components individually associated with one of the plurality of functions, individually having an input and an output, and individually ~~adapted to~~ configured to allow a user to graphically associate the input with a source object node and to associate the output with a target object node in the graphical user interface~~[[;]]~~, ~~wherein~~ the interface component ~~is further adapted to provide~~ provides the plurality of script components to a compiler in the mapping tool and ~~to provide~~ provides the plurality of graphical components to the graphical user interface.
9. (Currently amended) The function object of claim 8, ~~wherein~~ the interface component further comprises a plurality of function category identifier components individually associated with the plurality of functions.
10. (Currently amended) The function object of claim 9, ~~wherein~~ at least one of the plurality of function category identifier components includes one of string, mathematical, logical, date, conversion, scientific, advanced, and custom.

09/662,399

MS147164.01/MSFTP128US

11. (Currently amended) The function object of claim 10, ~~wherein~~ the plurality of script components having computer-executable instructions for performing a plurality of functions are in a scripting language.
12. (Currently amended) The function object of claim 11, ~~wherein~~ the scripting language is one of java script, visual basic script, and visual C++.
13. (Currently amended) The function object of claim 1, ~~wherein~~ the script component having computer-executable instructions for performing the function is in a scripting language.
14. (Currently amended) The function object of claim 13, ~~wherein~~ the scripting language is one of java script, visual basic script, and visual C++.
15. (Currently amended) The function object of claim 1, ~~wherein~~ the function object is a COM object, and the interface component is a COM interface.
16. (Currently amended) In a mapping tool with a graphical user interface, a method of creating a mapping between a source object having a source object node and a target object having a target object node, the method comprising:
- providing a function object having a script component with computer-executable instructions for performing a function, a graphical component associated with the function and having an input and an output, and an interface component;
 - displaying the graphical component in the graphical user interface;
 - graphically associating a source object node with the input using a user interface selection device, the source object node displayed hierarchically amongst a plurality of source object nodes;
 - graphically associating a target object node with the output using the user interface selection device, the target object node displayed hierarchically amongst a plurality of target object nodes; and

09/662,399

MS147164.01/MSFTP128US

creating a mapping including the computer-executable instructions, and the mapping is operative to perform the function according to the source object node[[],] and to provide an output value associated with the target object node according to the function.

17. (Currently amended) The method of claim 16, ~~wherein~~ providing the function object further comprises obtaining the function object from a host computer.

18. (Currently amended) The method of claim 17, ~~wherein~~ obtaining the function object from a host computer further comprises obtaining the function object from a DLL file in the host computer.

19. (Currently amended) The method of claim 18, ~~wherein~~ obtaining the function object from a DLL file in the host computer further comprises:

searching the DLL files in the host computer;
identifying the function object in the searched DLL files; and
loading the function object into the mapping tool.

20. (Currently amended) The method of claim 16, ~~wherein~~ providing the function object further comprises obtaining the function object from a global communications network.

21. (Currently amended) The method of claim 20, ~~wherein~~ obtaining the function object from a global communications network further comprises obtaining the function object from an Internet web site.

22. (Currently amended) The method of claim 21, ~~wherein~~ obtaining the function object from [[an]] the Internet web site further comprises one of searching the Internet for the function object according to a mapping tool startup script, searching the Internet for the function object according to a user command, and searching a web site provided by the user for the function object.

09/662,399

MS147164.01/MSFTP128US

23. (Currently amended) The method of claim 16, further comprising:
providing a plurality of script components with computer-executable instructions for performing one of a plurality of functions, a plurality of graphical components individually associated with one of the plurality of functions and individually having an input and an output, ~~wherein~~ the interface component is associated with the plurality of script components and the plurality of graphical components; and
displaying at least one of the plurality of graphical components in the graphical user interface.
24. (Currently amended) The method of claim 16, ~~wherein~~ providing the function object further comprises creating a wrapper object in the mapping tool, including the interface component of the function object and a second interface component ~~adapted~~ configured to allow a user to drag and drop the graphical component in the graphical user interface.
25. (Currently amended) The method of claim 16, ~~wherein~~ displaying the graphical component further comprises obtaining the graphical component from a function object source via the interface component.
26. (Currently amended) The method of claim 25, ~~wherein~~ the function object source is a DLL file on a host computer.
27. (Currently amended) The method of claim 25, ~~wherein~~ obtaining the graphical component from a function object source comprises obtaining the graphical component from a DLL file via the Internet.
28. (Currently amended) The method of claim 16, ~~wherein~~ displaying the graphical component further comprises:
displaying a function object palette in the graphical user interface;
displaying the graphical component on the function object palette; and
allowing a user to drag and drop the graphical component from the function object palette to a mapping screen region in the graphical user interface.

09/662,399

MS147164.01/MSFTP128US

29. (Currently amended) The method of claim 28, further comprising:

providing a plurality of script components with computer-executable instructions for performing one of a plurality of functions, a plurality of graphical components individually associated with one of the plurality of functions and individually having an input and an output, ~~wherein~~ the interface component is associated with the plurality of script components and the plurality of graphical components;

displaying a function object palette in the graphical user interface;

displaying at least one of the plurality of graphical components on the function object palette; and

allowing a user to drag and drop the at least one of the plurality of graphical components from the function object palette to a mapping screen region in the graphical user interface.

30. (Currently amended) The method of claim 16, ~~wherein~~ the mapping tool further comprises a compiler component, and ~~wherein~~ creating the mapping further comprises:

invoking the compiler component to generate compiled output code; and

providing the computer-executable instructions from the script component to the compiler via the interface component.

09/662,399

MS147164.01/MSFTP128US

31. (Currently amended) The method of claim 16, ~~wherein~~ the mapping tool further comprises a compiler component, and ~~wherein~~ creating the mapping further comprises:

providing a plurality of script components with computer-executable instructions for performing one of a plurality of functions, a plurality of graphical components individually associated with one of the plurality of functions and individually having an input and an output, ~~wherein~~ the interface component is associated with the plurality of script components and the plurality of graphical components;

displaying a function object palette in the graphical user interface;

displaying at least one of the plurality of graphical components on the function object palette;

allowing a user to drag and drop the at least one of the plurality of graphical components from the function object palette to a mapping screen region in the graphical user interface;

invoking the compiler component to generate compiled output code; and

providing the computer-executable instructions from the plurality of script components to the compiler via the interface component.

32. (Currently amended) A mapping tool with a graphical user interface for creating a mapping between a source object having a source object node and a target object having a target object node, comprising:

means for providing a function object having a script component with computer-executable instructions for performing a function, a graphical component associated with the function and having an input and an output, and an interface component;

means for displaying the graphical component in the graphical user interface ~~a display device in the graphical user interface adapted to display the graphical component in the user interface;~~

means for displaying a source object and a target object in the graphical user interface, the source object comprising a plurality of hierarchically arranged nodes and the target object comprising a plurality of hierarchically arranged nodes;

~~a user interface selection device adapted to~~ means for graphically associate associating a source object node with the input[[.]] and [[to]] for graphically associate associating a target object node with the output; and

09/662,399

MS147164.01/MSFTP128US

~~a compiler adapted to create~~ means for creating a mapping including the computer-executable instructions, ~~and the mapping~~ operative to perform the function according to the source object node[[,]] and to provide an output value associated with the target object node according to the function.

33. (Currently amended) In a mapping tool with a graphical user interface, a method of creating a function object for use in creating a mapping between a source object and a target object, the method comprising:

creating a script component having computer-executable instructions for performing a function using the user interface;

creating a graphical component associated with the function and having an input and an output, the input configured to be associated with at least one node of the source object, the source object conforms to a first schema, and the output configured to be associated with at least one node of the target object, the target object conforms to a second schema;

creating an interface component ~~adapted to provide that provides~~ the script component to a compiler in the mapping tool and ~~to provide~~ provides the graphical component to the graphical user interface; and

associating the script component, the graphical component, and the interface component.

34. (Currently amended) The method of claim 33, ~~wherein~~ creating the script component further comprises receiving a user-defined text file including the computer-executable instructions[[,]] and creating the script component using the computer-executable instructions from the text file.

35. (Currently amended) The method of claim 34, ~~wherein~~ the computer-executable instructions include one of basic, visual basic, VB script, C++, visual C++, java, java script, and Perl.

36. (Currently amended) The method of claim 33, ~~wherein~~ creating the script component comprises receiving function information from a user[[,]] and creating the computer-executable instructions based on the function information.

09/662,399

MS147164.01/MSFTP128US

37. (Currently amended) The method of claim 33, ~~wherein~~ creating the interface component comprises:

receiving a text file from a user, ~~wherein~~ the text file includes information related to the function; and

creating the interface component according to the information in the text file.

38. (Currently amended) The method of claim 37, ~~wherein~~ the information related to the function is in XML.

39. (Original) The method of claim 33, further comprising:
prompting a user for information related to the function object;
receiving prompted information from the user via the graphical user interface;
creating the script component having computer-executable instructions for performing a function using the prompted information; and
creating the graphical component associated with the function and having an input and an output using the prompted information.

40. (Currently amended) The method of claim 39, ~~wherein~~ prompting a user for information related to the function object comprises providing a wizard in the graphical user interface.

41. (Currently amended) A function object creation tool for creating a function object for use in creating a mapping in a mapping tool between a source object and a target object, the function object creation tool comprising:

means for creating a script component having computer-executable instructions for performing a function using the user interface;

means for creating a graphical component associated with the function and having an input and an output, the input configured to be associated with a source object node from amongst a hierarchical arrangement of source object nodes and the output configured to be associated with a target object node from amongst a hierarchical arrangement of target object nodes;

09/662,399

MS147164.01/MSFTP128US

means for creating an interface component adapted to provide that provides the script component to a compiler in the mapping tool and to provide provides the graphical component to the graphical user interface; and

means for associating the script component, the graphical component, and the interface component.

42. (Currently amended) A computer-readable medium having computer-executable instructions for performing the following steps:

providing a function object having a script component with computer-executable instructions for performing a function, a graphical component associated with the function and having an input and an output, and an interface component;

displaying the graphical component in a user interface;

displaying a source object and a target object in the user interface, the source object displayed as a hierarchically arranged collection of source object nodes and the target object displayed as a hierarchically arranged collection of target object nodes;

graphically associating a source object node with the input using a user interface selection device;

graphically associating a target object node with the output using the user interface selection device; and

creating a mapping including the computer-executable instructions, and operative to perform the function according to the source object node, and to provide an output value associated with the target object node according to the function.

43. (Currently amended) A computer-readable medium having computer-executable instructions for performing the following steps:

creating a script component having computer-executable instructions for performing a function;

creating a graphical component associated with the function and having an input and an output, the input configured to be associated with a source object node from amongst a hierarchical arrangement of source object nodes and the output configured to be associated with a target object node from amongst a hierarchical arrangement of target object nodes;

09/662,399

MS147164.01/MSFTP128US

creating an interface component ~~adapted to provide~~ that provides the script component to a compiler in a mapping tool and ~~to provide~~ provides the graphical component to a graphical user interface; and

associating the script component, the graphical component, and the interface component.

44. (Currently amended) A function object for use in creating a mapping, between a source object having a source object node and a target object having a target object node, comprising:

a script component having computer-executable instructions for performing a function;

a graphical component associated with the function[[,]] having an input and an output[[,]] ~~and adapted to allow~~ the graphical component configured to allow a user to graphically associate the input with a source object node and to associate the output with a target object node, the source object node selectable from a plurality of hierarchically arranged source object nodes and the target object node selectable from a plurality of hierarchically arranged target nodes; and

an interface component having a globally unique identifier, the interface component provides ~~and adapted to provide~~ the script component to a compiler and ~~to provide~~ provides the graphical component to a graphical user interface.

45. (Currently amended) A computer-readable medium having computer-executable instructions for performing the following steps:

creating a script component having computer-executable instructions for performing a function;

creating a graphical component associated with the function and having an input and an output, the input configured to be associated with a source object node that is amongst a plurality of source object nodes, the source object node conforms to a first schema, and the output configured to be associated with a target object node that is amongst a plurality of target object nodes, the target object node conforms to a second schema;

creating an interface component ~~adapted to provide~~ that provides the script component to a compiler and ~~to provide~~ provides the graphical component to a graphical user interface; and

associating the script component, the graphical component, and the interface component.